Registered office:

Caleb Components Limited Block 6 Grazebrook Industrial Park Peartree Lane, Dudley West Midlands DY2 0XW England

Tel: 0044 (0)1384 453955 **Fax:** 0044 (0)1384 257423

Email: sales@calebcomponents.com
Buy Online: www.springfasteners.co.uk



Solid Dowel Pins - DIN 6325

Solid Dowel Pins (DIN 6325) are generally used to offer a secure and accurate location between two components. These Pins are through hardened and ground to m6 tolerance.

We can supply these Dowel Pins in the following materials:

- Through Hardened Steel (100Cr6)
- Stainless Steel 316 (A4)
- Stainless Steel 303

We can also supply the following Dowel Pins:

- DIN 7 Dowel Pins
- ISO 2338 Dowel Pins
- ISO 8735 Extractable Dowel Pins
- DIN 7979-D Extractable Dowel Pins

Please contact us if you require a quotation for the above mentioned parts.

Please view the page below for the standard sizes of Solid Dowel Pins to DIN 6325 standard that we can offer.

Solid Dowel Pins

The standard sizes for Solid Dowel Pins (DIN 6325) Ground to m6 tolerance

Larger Nominal Diameters from 14mm up to 25mm are also available

	∟arger	Nomina	ai Diame	eters fro	m 14mm	up to 2	omm are	aiso av	ailable**		
Nominal Diameter	1.0mm	1.5mm	2mm	2.5mm	3.0mm	4.0mm	5.0mm	6.0mm	8.0mm	10.0mm	12.0mm
Length											
4mm	Υ	Υ	Υ		Υ						
5mm	Υ	Υ	Υ	Υ	Υ						
6mm	Υ	Υ	Υ	Υ	Υ	Y					
8mm	Υ	Υ	Υ	Υ	Υ	Y	Υ	Υ			
10mm	Υ	Y	Υ	Υ	Υ	Y	Υ	Y	Υ		
12mm	Υ	Y	Υ	Υ	Υ	Y	Υ	Y	Υ		
14mm		Υ	Υ	Υ	Y	Υ	Υ	Υ	Υ		
16mm	Υ	Y	Υ	Υ	Υ	Y	Υ	Y	Υ	Υ	
18mm		Υ	Υ	Υ	Υ	Y	Υ	Υ	Υ	Υ	
20mm		Y	Υ	Υ	Υ	Υ	Υ	Y	Υ	Υ	Υ
22mm		Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ
24mm		Υ	Υ	Υ	Υ	Y	Υ	Υ	Υ	Υ	Υ
26mm			Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ
28mm			Υ	Υ	Υ	Y	Υ	Υ	Υ	Υ	Υ
30mm			Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ
32mm			Υ	Υ	Υ	Υ	Υ	Y	Υ	Υ	Υ
36mm			Υ		Υ	Υ	Υ	Υ	Υ	Υ	Υ
40mm			Υ		Υ	Υ	Υ	Y	Υ	Υ	Υ
45mm					Υ	Υ	Υ	Y	Υ	Υ	Υ
50mm			Υ		Υ	Υ	Y	Y	Υ	Υ	Υ
55mm						Υ	Υ	Y	Υ	Υ	Υ
60mm					Υ	Υ	Y	Y	Υ	Υ	Υ
70mm						Υ	Υ	Y	Υ	Υ	Υ
80mm						Υ	Y	Y	Υ	Υ	Υ
90mm								Y	Υ	Υ	Υ
100mm								Y	Υ	Υ	Υ
120mm									Υ	Υ	Υ