

**Registered office:**

Caleb Components Limited  
Block 6 Grazebrook Industrial Park  
Peartree Lane, Dudley  
West Midlands  
DY2 0XW  
England

**Tel:** 0044 (0)1384 453955

**Fax:** 0044 (0)1384 257423

**Email:** [sales@calebcomponents.com](mailto:sales@calebcomponents.com)

**Buy Online:** [www.springfasteners.co.uk](http://www.springfasteners.co.uk)



Supplier of high quality standard & bespoke  
Non-Threaded Fasteners

## Crescent Rings

Caleb Components can supply metric & imperial Crescent Rings.

The advantage of using a Crescent Ring of that of a standard type Circlip is that it offers greater clearance around the outside diameter as it has no lugs. These can be fitted relatively easy with the use of standard pliers.

Metric & Imperial Crescent Rings go by the following references:

Metric – M1800

Imperial – N1800

We can offer these Crescent Rings in standard Carbon Steel, but certain sizes are available in Stainless Steel.

These parts can be offered in standard Self-colour finish & Bright Zinc Plate.

Please find on the pages below, the standard sizes of Crescent Rings we can offer. If you can't find the size you're looking for, please don't hesitate to contact us so we can help you find what you need.

**Tel:** + 44 (0) 1384 453955 – **Fax:** + 44 (0) 1384 257423 – **E-mail:** [sales@calebcomponents.com](mailto:sales@calebcomponents.com)

ISO 9001:2015 approved

# Metric Crescent Rings

The standard sizes for Metric M1800 Crescent Rings

Product Code	Shaft Size (mm)	Inside Diameter (mm)	Thickness (mm)
CR003	3.00	2.18	0.40
CR004	4.00	3.00	0.40
CR005	5.00	3.80	0.60
CR006	6.00	4.80	0.70
CR007	7.00	5.80	0.80
CR008	8.00	6.80	0.80
CR009	9.00	7.80	1.00
CR010	10.00	8.75	1.00
CR011	11.00	9.65	1.00
CR012	12.00	10.55	1.00
CR013	13.00	11.40	1.00
CR014	14.00	12.30	1.00
CR015	15.00	13.20	1.00
CR016	16.00	14.10	1.00
CR017	17.00	14.90	1.00
CR018	18.00	15.80	1.20
CR019	19.00	16.70	1.20
CR020	20.00	17.55	1.20
CR022	22.00	19.40	1.20
CR025	25.00	22.00	1.20
CR026	26.00	22.90	1.20
CR030	30.00	26.30	1.50

# Imperial Crescent Rings

The standard sizes for Imperial N1800 Crescent Rings

Product Code	Shaft Size (Dec/Inch)	Outside Diameter (Inch)	Thickness (Inch)
N1800-0012	0.125	0.165	0.015
N1800-0015	0.156	0.205	0.015
N1800-0018	0.188	0.244	0.015
N1800-0021	0.219	0.275	0.025
N1800-0025	0.250	0.295	0.025
N1800-0028	0.281	0.346	0.025
N1800-0031	0.312	0.376	0.025
N1800-0037	0.375	0.448	0.025
N1800-0043	0.438	0.517	0.025
N1800-0050	0.500	0.581	0.035
N1800-0056	0.562	0.653	0.035
N1800-0062	0.625	0.715	0.035
N1800-0075	0.750	0.845	0.042
N1800-0081	0.812	0.915	0.042
N1800-0087	0.875	0.991	0.042
N1800-0093	0.938	1.058	0.042
N1800-0100	1.000	1.130	0.042

Tel: + 44 (0) 1384 453955 – Fax: + 44 (0) 1384 257423 – E-mail: [sales@calebcomponents.com](mailto:sales@calebcomponents.com)

ISO 9001:2015 approved

