

Registered office:

Caleb Components Limited
Block 6 Grazebrook Industrial Park
Peartree Lane, Dudley
West Midlands
DY2 0XW
England

Tel: 0044 (0)1384 453955

Fax: 0044 (0)1384 257423

Email: sales@calebcomponents.com

Buy Online: www.springfasteners.co.uk



Supplier of high quality standard & bespoke
Non-Threaded Fasteners

Increased Abutment Circlips

Caleb Components offers External & Internal Circlips with Increased Abutments.

These type of Circlips are very similar to that of standard External (DIN 471) and Internal (DIN 472) Circlips. However, due to the additional lugs they offer increased surface area which is particularly useful in maintaining contact with components that may be chamfered for example.

External Increased Abutment	Internal Increased Abutment
DIN 983	DIN 984
D2100	D2000

We offer these particular Circlips in standard Carbon Spring Steel.

These parts can be offered in standard Self-colour finish or Bright Zinc Plate.

Please find on the pages below, the standard sizes of Increased Abutment Circlips we can offer. If you can't find the size you're looking for, please don't hesitate to contact us so we can help you find what you need.

External Increased Abutment Circlips

The standard sizes for DIN 983 / D2100 Circlips

Product Code	Shaft Size (mm)	Inside Diameter (mm)	Thickness (mm)
D2100-016	16.00	14.70	1.00
D2100-017	17.00	15.70	1.00
D2100-018	18.00	16.50	1.20
D2100-019	19.00	17.50	1.20
D2100-020	20.00	18.50	1.20
D2100-022	22.00	20.50	1.20
D2100-023	23.00	21.50	1.20
D2100-024	24.00	22.20	1.20
D2100-025	25.00	23.20	1.20
D2100-026	26.00	24.20	1.20
D2100-028	28.00	25.90	1.50
D2100-030	30.00	27.90	1.50
D2100-032	32.00	29.60	1.50
D2100-035	35.00	32.20	1.50
D2100-038	38.00	35.20	1.75
D2100-040	40.00	36.50	1.75
D2100-042	42.00	38.50	1.75
D2100-045	45.00	43.50	1.75
D2100-047	47.00	43.50	1.75
D2100-048	48.00	44.50	1.75
D2100-050	50.00	45.80	2.00
D2100-055	55.00	50.80	2.00
D2100-058	58.00	53.80	2.00
D2100-060	60.00	55.80	2.00
D2100-062	62.00	57.80	2.00
D2100-065	65.00	60.80	2.50
D2100-067	67.00	62.50	2.50
D2100-068	68.00	63.50	2.50
D2100-070	70.00	65.50	2.50
D2100-075	75.00	70.50	2.50
D2100-080	80.00	74.50	2.50
D2100-085	85.00	79.50	3.00
D2100-090	90.00	84.50	3.00
D2100-095	95.00	89.50	3.00
D2100-100	100.00	94.50	3.00

Tel: + 44 (0) 1384 453955 – Fax: + 44 (0) 1384 257423 – E-mail: sales@calebcomponents.com

ISO 9001:2015 approved

Internal Increased Abutment Circlips

The standard sizes for DIN 984 / D2000 Circlips

Product Code	Bore Size (mm)	Outside Diameter (mm)	Thickness (mm)
D2000-016	16.00	17.30	1.00
D2000-017	17.00	18.30	1.00
D2000-018	18.00	19.50	1.00
D2000-019	19.00	20.50	1.00
D2000-020	20.00	21.50	1.00
D2000-021	21.00	22.50	1.00
D2000-022	22.00	23.50	1.00
D2000-023	23.00	24.60	1.20
D2000-024	24.00	25.90	1.20
D2000-025	25.00	26.90	1.20
D2000-026	26.00	28.50	1.20
D2000-027	27.00	29.10	1.20
D2000-028	28.00	30.10	1.20
D2000-030	30.00	32.10	1.20
D2000-032	32.00	34.40	1.20
D2000-033	33.00	35.40	1.20
D2000-034	34.00	36.50	1.50
D2000-035	35.00	37.80	1.50
D2000-036	36.00	38.80	1.50
D2000-038	38.00	40.80	1.50
D2000-040	40.00	43.50	1.75
D2000-042	42.00	45.50	1.75
D2000-044	44.00	47.50	1.75
D2000-045	45.00	48.50	1.75
D2000-047	47.00	50.50	1.75
D2000-048	48.00	51.50	1.75
D2000-050	50.00	54.20	2.00
D2000-052	52.00	56.20	2.00
D2000-055	55.00	59.20	2.00
D2000-057	57.00	61.20	2.00
D2000-058	58.00	62.20	2.00
D2000-060	60.00	64.20	2.00
D2000-062	62.00	66.20	2.00
D2000-065	65.00	69.20	2.50
D2000-067	67.00	71.50	2.50
D2000-068	68.00	72.50	2.50
D2000-070	70.00	74.50	2.50
D2000-072	72.00	76.50	2.50
D2000-075	75.00	79.50	2.50
D2000-080	80.00	85.50	2.50
D2000-085	85.00	90.50	3.00
D2000-090	90.00	95.50	3.00
D2000-095	95.00	100.50	3.00
D2000-100	100.00	105.50	3.00

Tel: + 44 (0) 1384 453955 – Fax: + 44 (0) 1384 257423 – E-mail: sales@calebcomponents.com

ISO 9001:2015 approved